

NOC CLAMP

PRODUCT FACT SHEET



HAY

NOC CLAMP


DESIGN BY DESIGN BY SMITHMATTHIAS, 2015

Noc is a universal clamp light with a faceted die cast aluminium shade. Its machined aluminium stem and clamp offers two points of adjustment and can be used on table tops, shelves and headboards.

HIGHLIGHTS

- Part of a progressive and technologically advanced lighting collection.
- A flexible, engineered clamp light with character.
- CE approved.
- Inline on off rocker switch.
- Suitable for both private and office environments.
- Qualified for contract use.
- For indoor use only.

DIMENSIONS



WIDTH 10 CM | 3.9"

DEPTH 14 CM | 5.5"

HEIGHT 22 CM | 8.7"

MAX. CLAMP MOUTH WIDTH 4 CM | 1.6"

MATERIALS

LAMP STEM AND BASE
Machined aluminium.

LAMP SHADE
Die cast aluminium.

CORD
Silicone cable.

Please note that the cable is black for the dark grey version and white for the off white version.

OPTIONS

Incl. UK Plug converter.

COLOUR & FINISH

Please note that the colour codes are indicative.



DARK GREY
RAL 7016



OFF WHITE
PANTONE 1C

TECHNICAL SPECIFICATIONS NOC WALL

LIGHT SOURCE	POWER (WATTS)	DIMMABLE	POWER SUPPLY	CORD LENGTH	SWITCH
LED E14 (A15)*	5,5W	No	220-240V AC at 50-60Hz	200 cm	Inline Switch


*Bulb included.

TEST SPECIFICATIONS*

FLUX (LUMENS)	CCT (KELVIN) & CRI (1-100)
470lm	The levels will vary depending on the type of bulb used in the lamp.

*Photometrics and the specification shown is taken using the included LED bulb fitted in the production luminaire.


PHOTOMETRICS



CERTIFICATES

CE APPROVED

This product has been assessed and complies with the essential requirements of the relevant European directives.



Tested according to the following european EN / IEC standards which relate specifically to electrical lighting products including

- EN 55015:2013 (radio disturbance)
- EN 61547:2009 (EMC immunity)
- EN 61000-3-2:2014 (EMC compatibility)
- EN 61000-3-3:2013 (EMC compatibility)
- EN 60598-2-4:1997 (portable luminaires)
- EN 60598-1:2015 (general requirements)
- EN 62493:2010 (human exposure to EMC)

COUNTRY OF ORIGIN

China

DOWNLOADS

Packshots and lifestyle photos, 2D 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Image Bank at hay.com.

[LINK TO IMAGE BANK](#)